


## EQUIPMENT SELECTION FORM FOR SHGV, SHGVA, SHGE, UVG (QFM), CONTROL CABINETS ON CUSTOMER'S SCHEMES

<b>Purpose</b>						
<b>Installation zones</b>	<input type="checkbox"/> Zone 0 <input type="checkbox"/> Zone 1 <input type="checkbox"/> Zone 2		<input type="checkbox"/> RN version <input type="checkbox"/> RV version		<input type="checkbox"/> RO version <input type="checkbox"/> RP version <input type="checkbox"/> The required type of Ex protection _____	
<b>Group and subgroup of gas-air mixture</b>	<input type="checkbox"/> IIA <input type="checkbox"/> IIB <input type="checkbox"/> IIB+H <sub>2</sub>		<input type="checkbox"/> IIC X <input type="checkbox"/> IIC <input type="checkbox"/> IIIC			
<b>Temperature class</b>	<input type="checkbox"/> T4 <input type="checkbox"/> T5 <input type="checkbox"/> T6		Operating temperature		T <sub>ambient</sub> from _____ to _____	
<b>IP protection</b>	<input type="checkbox"/> IP66 (on default) <input type="checkbox"/> IP67 <input type="checkbox"/> IP68					
<b>Material of enclosure</b>	<input type="checkbox"/> Corrosion-resistant aluminum-silicon alloy		<input type="checkbox"/> Stainless steel			
	<input type="checkbox"/> Polyester glass reinforced by fiber		<input type="checkbox"/> Powder Coated Low Carbon Steel			
<b>Installation method</b>	<input type="checkbox"/> Wall mounting		<input type="checkbox"/> Ground-type installation on the frame		<input type="checkbox"/> Frame <input type="checkbox"/> Other _____	
To provide for the installation of equipment (circuit breakers, contactors, etc.)						
Bodies of operational controls and indicators						
Placing of control and administrations						
<b>Cable glands</b> 	<b>Side of positioning</b>		<b>Quantity of cables for 1 side</b>	<b>The diameter of the outer shell of the cable</b>		<b>The diameter of the inner shell of the cable (only for armored cable)</b>
	A	B	C	D		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<b>Options, accessories and versions</b>	<input type="checkbox"/> Anti-condensation cover /AP			<input type="checkbox"/> The drainage device for draining of condensate/DKUV		
	<input type="checkbox"/> Version for the tropics with protection against insects/TERMITI			<input type="checkbox"/> Climat category MU/MORE		
	<input type="checkbox"/> Earthquake-resistant version /MSK-64			<input type="checkbox"/> Customer's acceptance /PRIEMKA		
	<input type="checkbox"/> Painting of external surface using the colour required by customer (on request) /RAL			<input type="checkbox"/> Non-explosion-proof version, operating temp. since -60°C up to +80°C /PROM		
	<input type="checkbox"/> Electrical heating /OBOGREV			<input type="checkbox"/> Internal thermal insulation/TEPLOIZOLYACIYA		
	<input type="checkbox"/> Installation on the frame /RAMA			<input type="checkbox"/> Version for min. operating temperature -75°C /HOLOD		
<b>Quantity, pcs</b>		<input type="text" value=""/> <input type="text" value=""/> <input type="text" value=""/> pcs				
<b>Customer's notes</b>	Limiting of dimensions of cabinet (if there are):		_____ X _____ X _____ length    height    depth			
<b>Contact information</b>	<b>Organization:</b>			<b>Tel./fax:</b>		
	<b>Post address :</b>			<b>E-mail:</b>		
	<b>Contact person:</b>					